

To: Hayes, Scott[Hayes.Scott@epa.gov]
From: Weber, Robert
Sent: Tue 2/10/2015 9:04:26 PM
Subject: FW: NIOSH HHE Report for Firefighters in Bridgeton, MO
[image003.png](#)
[ATT00001.htm](#)
[20140084 IAFF Local 2665 closeout.pdf](#)
[ATT00002.htm](#)

From: McKernan, John
Sent: Tuesday, February 10, 2015 2:21 PM
To: Weber, Robert
Subject: Fwd: NIOSH HHE Report for Firefighters in Bridgeton, MO

Hi Rob-

Hope this is helpful. It's from our colleagues at NIOSH.

John

John McKernan

ORD/ETSC

Mobile 513.284.9717

Begin forwarded message:

From: "Ahrenholz, Steven H. (CDC/NIOSH/DSHEFS)" <shal@cdc.gov>
To: "McKernan, John" <McKernan.John@epa.gov>
Subject: RE: NIOSH HHE Report for Firefighters in Bridgeton, MO

Hi John-

We closed out the HHE with the attached closeout letter which presents our findings. Sorry for the delay in responding, I was on travel last week and am now getting through my back log of e-mail.

Take care-

Steve

(513-841-4471) Mailstop R-9
[Description: hhe_colour_transparent300dpi]

From: McKernan, John (CDC epa.gov)
Sent: Wednesday, February 04, 2015 4:03 PM
To: Ahrenholz, Steven H. (CDC/NIOSH/DSHEFS)
Cc: Weber, Robert
Subject: NIOSH HHE Report for Firefighters in Bridgeton, MO

Hi Steve-

We talked some time ago about an HHE request you received for firefighters that respond to the West Lake Landfill Superfund site in Bridgeton, MO. Would you have a copy of the report that you could share (draft or final)?

Thank you in advance,

John

John McKernan, ScD, CIH
Commander | U.S. Public Health Service
Engineering Technical Support Center (ETSC<<http://www.epa.gov/nrmrl/lrped/etsc/>>)
Office: 513.569.7415 | Mobile: 513.284.9717 | Fax: 513.569.7676
McKernan.John@epa.gov

U.S. EPA | ORD
26 W. Martin Luther King Dr., MS 489A
Cincinnati, OH 45268

NOTICE OF CONFIDENTIALITY: This electronic communication, including any attached documents, may contain confidential or legally privileged information intended only for recipient(s) named above. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing or otherwise using this transmission. If you received this communication by mistake, please notify the sender immediately and delete the communication and any attachments.